7 37	11244	Carrier March	DD	mi
L Number	Hits		DB USDAT.	Time stamp.
3	36		USPAT;	2004/03/04 08:02
		music	US-PGPUB; IBM TDB	
	43	@ad<20000906 and (music video audio) with	USPAT;	2004/03/04 07:40
4	43			2004/03/04 07:40
		distribute and download with (agent	US-PGPUB;	
_	,	module)	IBM_TDB	2004/02/04 07:41
5	1	• · · · · · · · · · · · · · · · ·	USPAT; US-PGPUB;	2004/03/04 07:41
		agent) with confirm	IBM TDB	
	_	@ad<20000906 and (download\$2) with (module	USPAT;	2004/03/04 07:42
6	2			2004/03/04 07:42
		agent) with confirm	US-PGPUB; IBM TDB	.
7	4	@ad<20000906 and (download\$2) with (applet	USPAT;	2004/03/04 07:42
'	4	module agent) with confirm	US-PGPUB;	2004/03/04 07.42
		module agency with contilin	IBM TDB	
8	20	@ad<20000906 and (download\$2) with (applet	USPAT;	2004/03/04 07:42
		program module agent) with confirm	US-PGPUB;	2003/03/03 07.32
		program modure agency with continu	IBM TDB	
13	150	@ad<20000906 and 380/283.ccls.	USPAT;	2004/03/04 08:02
13	150		US-PGPUB;	2001, 00, 04 00.02
			IBM TDB	
14	41	@ad<20000906 and 713/154.ccls.	USPAT;	2004/03/04 08:02
			US-PGPUB;	,,,
			IBM TDB	
_	3480	@ad<20000906 and packet and payload and	USPAT;	2004/03/03 09:09
		header	US-PGPUB;	
			IBM TDB	
_	2317	@ad<20000906 and packet and payload and	USPĀT;	2004/03/01 14:10
		header and stream\$3	US-PGPUB;	
			IBM TDB	
_	97	(@ad<20000906 and packet and payload and	USPĀT;	2004/03/01 14:26
		header and stream\$3) and encrypt\$7 with	US-PGPUB;	
		payload	IBM_TDB	
-	8	((@ad<20000906 and packet and payload and	USPĀT;	2004/03/01 14:11
		header and stream\$3) and encrypt\$7 with	US-PGPUB;	
		payload) and key with negotiate	IBM_TDB	
_	11		USPAT;	2004/03/01 14:29
		header and stream\$3) and encrypt\$7 with	US-PGPUB;	
		payload) and parse	IBM_TDB	
_	6		USPAT;	2004/03/01 14:29
		header and stream\$3) and encrypt\$7 with	US-PGPUB;	
		payload) and key) and player	IBM_TDB	0004/00/00 5: 5:
-	86		USPAT;	2004/03/01 14:35
		header and stream\$3) and encrypt\$7 with	US-PGPUB;	
		payload) and key	IBM_TDB	2004/02/01 14:44
_	25		USPAT;	2004/03/01 14:44
		header and stream\$3) and encrypt\$7 with payload) and server and client	US-PGPUB; IBM TDB	
_	1 4 5	payload) and server and client @ad<20000906 and 380/42.ccls.	USPAT;	2004/03/01 14:46
_	145	eau\20000900 and 300/42.0018.	US-PGPUB;	2004/03/01 14.40
			IBM TDB	
_	95	 @ad<20000906 and 713/160.ccls.	USPAT;	2004/03/01 14:45
			US-PGPUB;	
			IBM TDB	
_	2	(@ad<20000906 and 380/42.ccls.) and	USPAT;	2004/03/01 14:45
		(@ad<20000906 and 713/160.ccls.)	US-PGPUB;	
			IBM TDB	
_	3	(@ad<20000906 and 380/42.ccls.) and	USPAT;	2004/03/01 14:55
		encrypt\$7 with payload	US-PGPUB;	
	}		IBM TDB	
_	4	5796836.URPN.	USPAT	2004/03/01 14:53
-	9	("4058673" "4142240" "4160120"	USPAT	2004/03/01 14:58
		"4447672" "4731843" "4897876"		·
		"5148485" "5345508" "5381480").PN.		
-	1	5,825,891.pn.	USPAT;	2004/03/01 14:55
			US-PGPUB;	
			IBM_TDB	
-	141	@ad<20000906 and media with stream and	USPAT	2004/03/01 14:58
	1	packet with encrypt\$5		

_	52	, , ,	USPAT	2004/03/01 15:14
		packet with encrypt\$5) and header and		
		payload		-
-	21491	shim	USPAT	2004/03/01 15:14
_	19860	@ad<20000906 and "shim"	USPAT	2004/03/01 15:14
i –	13016	@ad<20000906 and shim!	USPAT	2004/03/01 15:14
-	16	(@ad<20000906 and shim!) and encryption	USPAT	2004/03/01 15:21
_	82		USPAT	2004/03/01 15:22
_	33	'	USPAT	2004/03/01 15:48
l _	33	((@ad<20000906 and rtsp) and encrypt\$6)	USPAT	2004/03/01 15:22
		and media		
_	0	(@ad<20000906 and rtsp) and encrypt\$6 with	USPAT	2004/03/01 15:48
		payload	002111	
_	2	+ 4	USPAT	2004/03/01 15:52
		audio video) and encrypt\$6 with payload	001111	2001,00,01 13.02
	251		USPAT	2004/03/01 15:52
-	231	audio video) and encrypt\$6	USERI	2004/03/01 13:32
	٥.		rionam	2004/03/01 15:52
-	95		USPAT	2004/03/01 15:52
		audio video) and encrypt\$6 same packet		0004/00/00 10 54
-	3096989	@ad<20000906	USPAT;	2004/03/02 12:54
			US-PGPUB;	·
			IBM_TDB	
-	0	· - · · - · · · · · · · · · · ·	USPĀT;	2004/03/02 12:57
		(payload data) same header and media	US-PGPUB;	
			IBM_TDB	
_	1	6424717.PN. and stream and encrypt\$5 with	USPAT;	2004/03/02 12:57
		(payload data) same header and media	US-PGPUB;	
İ		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM TDB	
_	348	@ad<20000906 and stream and encrypt\$5 with	USPĀT;	2004/03/02 12:58
	310	(payload data) same header and media	US-PGPUB;	3331, 53, 53 33133
		(payroad data) same neader and media	IBM TDB	
	83	@ad<20000906 and stream and encrypt with	USPAT;	2004/03/02 12:58
-	63		US-PGPUB;	2004/03/02 12:30
		(payload data) same header and media	IBM TDB	
	_	0.140000000	USPAT:	2004/03/02 13:02
-	7	@ad<20000906 and stream and encrypt with	· ·	2004/03/02 13:02
		(payload) same header and media	US-PGPUB;	_
			IBM_TDB	0004/00/00 10 50
-	30	@ad<20000906 and stream and encrypt\$5 with	USPAT;	2004/03/02 12:59
		(payload) same header and media	US-PGPUB;	
			IBM_TDB	
-	0	@ad<20000906 and stream and encrypt with	USPAT;	2004/03/02 13:01
		(payload) same header and media not medium	US-PGPUB;	
			IBM_TDB	
-	2	@ad<20000906 and (audio video sound movie	USPAT;	2004/03/02 13:02
		music) with stream\$3 and encrypt with	US-PGPUB;	
		(payload) same header	IBM TDB	
l –	19925	@ad<20000906 and shim	USPĀT;	2004/03/03 09:09
			US-PGPUB;	
			IBM TDB	
_	19925	@ad<20000906 and "shim"	USPAT;	2004/03/03 09:09
			US-PGPUB;	
1			IBM TDB	
_	13066	@ad<20000906 and shim!	USPAT;	2004/03/03 09:09
	13000	Caa 12000000 and birthi:	US-PGPUB;	=====================================
	1		IBM TDB	•
l _		Andream and shim! and answerter	USPAT;	2004/03/03 09:09
l ⁻	0	@ad<20000906 and shim! and encrypt%6		2004/03/03 03:03
[1		US-PGPUB;	·
	1	0-40000000 4 -51-1 4	IBM_TDB	2004/02/02 00:11
-	37	@ad<20000906 and shim! and encrypt\$6	USPAT;	2004/03/03 09:11
			US-PGPUB;	
			IBM_TDB	0004/05/55 55 55
-	0		USPAT;	2004/03/03 09:11
		with module	US-PGPUB;	
	1		IBM_TDB	
-	42	@ad<20000906 and client with compromised	USPAT;	2004/03/03 09:11
			US-PGPUB;	-
			IBM TDB	
i –	24	@ad<20000906 and client with compromised	USPĀT;	2004/03/03 09:12
	1	and encrypt\$6	US-PGPUB;	·
		· ·	IBM TDB	
	i .			

-	1	@ad<20000906 and client with compromised	USPAT;	2004/03/03 09:12
		and encrypt\$6 and (download\$2 sent send	US-PGPUB;	·
		transmit\$3 tranfer\$3) with (agent module	IBM_TDB	
		applet)		
-	6	@ad<20000906 and client with compromised	USPAT;	2004/03/03 09:14
		and encrypt\$6 and (download\$2 sent send	US-PGPUB;	-
		transmit\$3 tranfer\$3) with (agent module	IBM_TDB	
	0.55	applet software)		0004/00/00 00 15
-	255		USPAT;	2004/03/03 09:15
		end stop cancel) same key	US-PGPUB;	
_	4	@ad<20000906 and stream with (terminate	USPAT;	2004/03/03 09:16
	1	end stop cancel) same key with (incorrect	US-PGPUB;	2004/03/03 03.10
		invalid wrong outdated old)	IBM TDB	
l <u>-</u>	41		USPĀT;	2004/03/03 09:20
	'-	stop cancel) same key	US-PGPUB;	
		Sop danose, dame neg	IBM TDB	
_	657	@ad<20000906 and determine with key with	USPAT;	2004/03/03 09:20
		current	US-PGPUB;	
			IBM_TDB	
_	1		USPAT;	2004/03/03 09:20
1		current and decrypt\$6 with module same	US-PGPUB;	
1		client	IBM_TDB	
-	16		USPAT;	2004/03/03 09:23
		current and decrypt\$6 with module	US-PGPUB;	
		@ad<20000906 and determine with key adj	IBM_TDB USPAT;	2004/03/03 09:25
-	3	valid and decrypt\$6 with module	US-PGPUB;	2004/03/03 09.23
		valid and declypevo with module	IBM TDB	-
l _	18	@ad<20000906 and determine with key with	USPAT;	2004/03/03 09:29
		current with valid	US-PGPUB;	
1			IBM TDB	
-	2	@ad<20000906 and checks with key with	USPAT;	2004/03/03 09:29
]	İ	current with valid	US-PGPUB;	
			IBM_TDB	
-	622	@ad<20000906 and (check determine) with	USPAT;	2004/03/03 09:29
		key with valid	US-PGPUB;	İ
	238	@ad<20000906 and (check determine) with	IBM_TDB USPAT;	2004/03/03 09:30
-	230	key with valid and encrypt\$6	US-PGPUB;	2004703703 03.30
		ney with varia and energy of	IBM TDB	
_	17	@ad<20000906 and (check determine) with	USPAT;	2004/03/03 09:30
		key with valid and encrypt\$6 and client	US-PGPUB;	
		with module	IBM_TDB	
-	41		USPAT;	2004/03/03 09:35
-		key with valid and encrypt\$6 and client	US-PGPUB;	.
1		with (module applet application agent)	IBM_TDB	2004/02/02 00:50
-	20	@ad<20000906 and client with decryption with module	USPAT; US-PGPUB;	2004/03/03 09:50
		with woodle	IBM TDB	'
_	106	wiser.inv.	USPAT;	2004/03/03-09:49
			US-PGPUB;	,,
			IBM_TDB	'
-	34	wiser.inv. and content	USPĀT;	2004/03/03 09:49
			US-PGPUB;	
	_		IBM_TDB	0004/00/00 00 15
-	2	wiser.inv. and 713/\$.ccls.	USPAT;	2004/03/03 09:49
			US-PGPUB; IBM TDB	
_	296	@ad<20000906 and stream\$3 with (audio	USPAT;	2004/03/03 09:51
	298	video) and client with module	US-PGPUB;	
			IBM TDB	
-	31	@ad<20000906 and stream\$3 with (audio	USPĀT;	2004/03/03 15:22
		video) and client with module and download	US-PGPUB;	
		with module	IBM_TDB	
~	11		USPĀT;	2004/03/03 17:15
		with key	US-PGPUB;	
			IBM_TDB	0004/02/02 16 02
-	3	1	USPAT;	2004/03/03 16:23
		with module	US-PGPUB; IBM TDB	
l	l		מתו וווסד	

	1 20	0-1:000000C	USPAT;	2004/03/03 16:23
-	36	* · · · · · · · · · · · · · · · · · ·	USPAT; US-PGPUB;	2004/03/03 16:23
		and download with module	IBM TDB	
		0.1.00000000		2004/03/03 17:16
-	3	• • • · · · · · · · · · · · · · · · ·	USPAT;	2004/03/03 17:16
		unencrypted with determine	US-PGPUB;	•
	_		IBM_TDB	0004/00/00 17 16
-	8		USPAT;	2004/03/03 17:16
		with determine	US-PGPUB;	,
			IBM_TDB	
-	51	, ·	USPAT;	2004/03/03 17:17
		with determine	US-PGPUB;	
			IBM_TDB	
-	19	_ ·	USPAT;	2004/03/03 17:18
		with determine	US-PGPUB;	
			IBM_TDB	
-	480	@ad<20000906 and audio and unencrypted	USPAT;	2004/03/03 17:18
			US-PGPUB;	
			IBM_TDB	
-	6	@ad<20000906 and audio and unencrypted	USPAT;	2004/03/03 17:40
		with play	US-PGPUB;	
			IBM_TDB	
-	13	@ad<20000906 and download with module same	USPAT;	2004/03/03 17:42
	1	confirmation	US-PGPUB;	-
			IBM TDB	
_	130	@ad<20000906 and download with module same	USPAT;	2004/03/03 17:42
		signal	US-PGPUB;	
			IBM TDB	
_	1	@ad<20000906 and download with module same	USPAT;	2004/03/03 17:42
		signal and content with protect\$5	US-PGPUB;	
		•	IBM TDB	
_	21	@ad<20000906 and download with module same	USPAT;	2004/03/03 17:43
		signal and 713/\$.ccls.	US-PGPUB;	-
			IBM TDB	
_	35	@ad<20000906 and distribute with content	USPĀT;	2004/03/04 07:23
		and download with module	US-PGPUB;	·
			IBM TDB	